

BULLITO S

TOUGH RECORD TO BEAT.

84.1%	87.2%	87.5%	93.6%	93.9%	%1.96	%2'96	66.2 %	%6'66 §	% 6.66 §
'69	'70	'71	'72	'73	'74	'75	'76	'77	'78

94.8% of all Chevy Light-, Medium-, Heavy-Duty trucks and commercial vans in the ten most recent years recorded were still on the job.

(Based on R. L. Polk & Co. model year registrations through July 1, 1978. 1979 statistics not available at time of printing.)

Check the record at left. You'll see that the 1980 Chevy trucks offer a heritage of toughness that goes back a long way. Also check pages 8 and 9 in this catalog, and you'll see some of the tough-truck features that help Chevy pickups continue that heritage. Chevy pickups—built to stay tough. Built to work hard.

Many vehicles in this catalog are shown with available factory-installed options, dealer accessories and specialized equipment from various independent suppliers.



TAY TOUGH

A word about this catalog.

We have tried to make this catalog as comprehensive and factual as possible. And we hope you find it helpful. However, since the time of printing, some of the information you'll find here may have been updated. Your dealer has details and, before ordering, you should ask him to bring you up to date.

Here's where to find what interests you:

The models in Chevy's six basic series are on pages 4-5

Four-wheel-drive buffs will find their Chevy tough on pages 6-7

Tough details of Chevy pickups are on pages 8-9

Choice of engines and a look at the standard equipment of the Chevy C10 Diesel Pickup are on pages 10-11

Available trim packages are on pages 12-13

A variety of available options is on pages 14-15

Chevy C20 Fleetside Silverado shown on cover. Chevy C20 Fleetside Silverado shown here with new air deflector.



MAME THE JOB THERE'S A TOUGH TRUCK HERE TO MATCH.



FLEETSIDE 2-WHEEL DRIVE

Chevy's most popular pickup style. Available in all six series with a 6½- (C10) or 8-ft. box and GVWRs to 10,000 lbs. (GVWR is combined weight of vehicle, fuel, driver, passenger and payload.)



STEPSIDE 2-WHEEL DRIVE

A step between the door and extended rear fender helps you get at cargo. The 6½- (C10) or 8-ft. box has a sealed wood floor with seven flush steel skid strips.



FLEETSIDE 4-WHEEL DRIVE*

Some jobs demand 4-wheel drive. Chevy K20 Fleetside delivers it as a $\frac{3}{4}$ -tonner with payloads from 2163 to 3863 lbs. Available as K10, K20, K30. Built to stay tough on or off the road.



STEPSIDE 4-WHEEL DRIVE*

K10 Stepside is available with 6½- or 8-ft. box. Sporty, practical styling eliminates pickup box wheelhousings so inside walls are smooth and 50 inches apart. Available as K10 and K20.



FLEETSIDE SPORT

A Fleetside 2- or 4-wheel drive with 6½-ft. box and available factory-installed Sport Package: Two-Tone paint, sport striping, chromed grille, rectangular headlights, body-colored bumpers with black impact strips, color-keyed carpeting, extra-thick floor insulation, Chevy Sport identification.



STEPSIDE SPORT

A factory-installed Sport Package is also available for Stepside 2- and 4-wheel-drive models with a 6½-ft. pickup box. Items are the same as for the Fleetside Sport Package (left), except the rear bumper does not have black impact strips.

Six Tough Series

Chevy pickups are available in six basic series to meet your job needs: ○ C10 half-ton 2-wheel drive ○ C20 three-quarter-ton 2-wheel drive with new GVW ratings up to 8600 lbs. ○ C30 one-ton 2-wheel drive ○ K10 half-ton 4-wheel drive ○ K20 three-quarter-ton 4-wheel drive ○ K30 one-ton 4-wheel drive.

Model availability.

ASSIS CAE	CHASSI	BONUS CAB	CREW CAB	STEPSIDE	FLEETSIDE	PAYLOAD RANGE	SERIES
0	•0			•0	•0	1115-2134	C10
				•0	•0	1997-2402	BIG-10
				•0	•0	1128-2126	C10 DIESEL
0 🛦	0	A	A	0	0	2307-4445	C20
OMDAD	OME	▲ D	▲D	0	OD	3639-5475	C30
O	•0			•0	•0	1794-2115	K10 (4-WD)
C	0			0	0	2205-3902	K20 (4-WD)
OMDAD	OBC	▲ D	▲ D		OD	3398-4993	K30 (4-WD)
8	D-I	4.5" WB (8' Box)			OD	3398-4993	THE RESIDENCE OF THE RESIDENCE ASSESSMENT ASSESSMENT



CREW CAB/BONUS CAB 2-WHEEL DRIVE

Crew Cab is a 4-door pickup with front and rear bench seats. Bonus Cab does not have a rear seat, so it offers 55.8 cubic feet of lockable cab load space. Big Dooley (dual rear wheels) available.



CREW CAB/BONUS CAB 4-WHEEL DRIVE

Crew Cab 4x4 gets up to six workers to off-road jobs. Bonus Cab 4x4 carries up to three with extra cab cargo room for their gear. GVWRs for both: 8600 to 10,000 lbs. Big Dooley available.




C10 DIESEL PICKUP

Chevy's C10 half-ton diesel pickup comes in Fleetside or Stepside styling. Its tough 5.7 Liter V8 diesel engine eliminates ordinary tune-ups. See page 11 for the wide range of standard equipment.

CHASSIS CAB 2-WHEEL DRIVE

For a pickup job that needs a special body. Four wheelbases are available to accept bodies from 6 to 13 ft. long Available in C10, C20, and C30 models, including Big Doclay (dual rear wheels)



CHASSIS CAB 4-WHEEL DRIVE

Chevy K20 and K30 Chassis Cabs give you a tough 4-wheel-drive foundation to build on. Suited for a wrecker body or one custom-designed to your needs. Payloads from 4421 to 4746 lbs. Big Dooley (dual rear wheels) available.



BIG-10

Chevy BIG-10 is a heavy-duty half-tonner equipped to haul over a ton of payload, including driver, passengers, fuel and cargo. Heavy-duty suspension, brake system and tires help give it available GVWRs of 6050 to 6200 lbs.

*Shown with available chromed grille and rectangular headlights.

Tough 4-Wheel Drive

For work or play, Chevy's got your kind of tough 4-wheeler. Half-ton, ¾-ton and one-ton models have available 117.5-, 131.5-, and 164.5-inch wheelbases. Depending on the wheelbase, you can order a 6½- or 8-ft. pickup box. Payloads range from 1795 to 4150 lbs. on single-rear-wheel models and 3549 to 4746 on one-ton Big Dooley dual-rear-wheel models. (See model chart on page 5.)

Smooth-Riding Suspension Who says a 4x4 has to ride hard? Leaf-spring front and rear suspensions, spring rates, spring camber and shock absorber valving are designed to provide a surprisingly smooth ride for a vehicle with such tough off-road capabilities.

Quick-Turning Front Axles A short curb-to-curb turning radius helps Chevy 4-wheelers maneuver in tight places.


FOUR-FOOTED POWER

Rugged 4-Wheel-Drive System

A conventional 4-wheel-drive system is used. The transfer case is attached to the transmission, permitting a two-piece drive shaft for rugged simplicity. Manual locking, freewheeling front hubs (A) at right) let you engage the front axle for 4-wheel drive and disengage it for 2-wheel drive. Three-speed manual transmission is standard (4-speed manual standard on K20 with 8600-lb. GVWR and on K30). Four-speed manual transmission is available for K10 and K20 models. Automatic transmission available for all K models. 4WD transfer case shift knob (B) at right).

Low Entry Height High Ground Clearance


Chevy 4-wheelers have a low silhouette for easy entry and exit. Yet they still allow slightly over 7 inches of ground clearance.






- Power-assisted front disc/ rear drum brakes
- 5. Multi-leaf springs, front/rear
- Multi-lear springs, front/rear
 Drop-center frame design for low cab floor height
 Deep-section, all-steel channel side rails for rigidity
 Two-piece drive shaft for rugged simplicity

One-piece front air deflector (not shown) on models under 8500 lbs. GVWR






MORE TOUGH STUFF!

Massive Girder Beam Front Suspension

A massive, rigid steel beam is the foundation for independent front suspension on 2wheel-drive models. On each end are two contoured steel control arms with coil springs. Each pair of arms flexes up and down, allowing the front wheels to take bumps independently and help smooth the ride.




Double-Wall Construction

Inside every tough Chevy Fleetside pickup is another tough pickup! Fleetside models have both an inner and outer steel wall in many critical areas: doors, front fenders, cab rear panel, hood, side panels, and the easily removable tailgate.

Front Air Deflector

Shown on page 3. New, onepiece design on undercarriage helps decrease air pressure in engine compartment and improve aerodynamics over last year's models. Standard on C10, C20 and K models with GVWRs to 8500 lbs., except Chassis Cabs and C20 Crew/Bonus Cabs.





Counter-Angled Rear Shocks

Front and rear shock absorbers are shielded against stone damage. In the rear, one shock slants forward and the other aft to help control brake and power hop. A two-stage, multi-leaf rear suspension helps give a good ride with light loads and progressively firmer support with heavier loads.



Front disc and rear drum brakes are computer-matched to the vehicle's GVWR. A wear sensor on each front

Computer-Matched Brakes

disc brake gives an audible signal when the brake pads

need replacing. **Radial Tires**

Radial tires are standard on C10, C20, K10, and K20 pickups and chassis cabs with GVWRs under 8600 lbs. They provide long-wearing characteristics and low rolling resistance.



New Fan Clutch

An engine fan clutch is standard on all models up to 8500 lbs. GVWR to help reduce horsepower drain. The fan is thermostatically controlled so that it is driven only when the temperature of the coolant needs extra cooling.

Extensive Anti-Corrosion Program

1. Wide use of corrosion-resistant steels. Zincrometal® galvanized steel, zinc alloy steel and zinc-plated parts are used throughout.

primers. Hand-sprayed on critical areas before final priming.

3. Final priming. Every complete Chevy pickup body gets a dip or spray bath that leaves a thick primer

coating.
4. Finish painting. That beautiful finish is tough,

baked-on acrylic enamel. 5. Aluminized wax preservative. Many lower body inner surfaces get this coating to help resist corrosion

from road salt.

6. Extensive weatherproofing. Yards of fat butyl rubber weather stripping around doors and windows. Sealing compounds and rubber gaskets at joints and light enclosures. Plus a flushand-dry system for water drainage and air drying between some double-wall areas.



High-Efficiency 4.1Liter (250 Cu.In.) Six

Features a staged two-barrel carburetor (left) that uses only one barrel for normal operation. When more power is needed, the second, larger barrel is activated. An emissions-control system uses engine vacuum pulses which eliminate an air pump, pulley, belt, and about 15 lbs. Other features combine to help provide good response and cold weather operation.




Tough V8 Diesel Half-Ton Pickup A 5.7 Liter V8 diesel engine model may be ordered as a C10 Fleetside or Stepside with either 6½-ft. or 8-ft. box. The diesel engine is not available on other models.

No Points, Spark Plugs, Coil, Condenser or Carburetor

No more ordinary tune-ups. With the 5.7 Liter V8 diesel, you simply change the oil and oil filter every 3000 miles.


A word about engines.

The Chevrolet trucks in this catalog are equipped with GM-built engines produced by various divisions and GM of Canada and GM de Mexico. Please refer to the engine chart at the bottom of this page and the engine availability guide on the back cover. See your dealer for complete details about engine sources and availability.




4.1 LITER SIX (250 CUBIC INCH)

Tough and responsive, with a staged, 2-barrel carburetor.



4.8 LITER SIX (292 CUBIC INCH)

The workhorse in some Chevy medium-duty trucks. Single-barrel carburetor.



5.0 LITER V8 (305 CUBIC INCH)

Short-stroke, valve-in-head design with a Dualiet carburetor.

Engine specifications

Engine ordering code		and below. All states except California			
	LE3(B)	Not Available	LG9(C)		
Bore & stroke (in.)	3.9 x 3.5		3.74 x 3.48		
Compression ratio	8.3 to 1		8.5 to 1		
SAE net horsepower @ RPM	130 @ 4000		135 @ 4200		
SAE net torque (lbft.) @ RPM	210 @ 2000		235 @ 2400		
ENGINES WITH LIGHT-MEDIUM-DUTY	EMISSIONS for models of 8500-lb	o. GVWR and below for California			
Engine ordering code	LE3(B)	Not Available	Not Available		
Bore & stroke (in.)	3.9 x 3.5				
Compression ratio	8.3 to 1				
SAE net horsepower @ RPM	130 @ 4000*				
SAE net torque (lbft.) @ RPM	205 @ 2000*				
ENGINES WITH HEAVY-DUTY EMISSION	ONS for models of 8500-lb. GVWR	and above			
Engine ordering code	Not Available	L25(B)	Not Available		
Bore & stroke (in.)		3.9 x 4.1			
Compression ratio		7.8 to 1			
SAE net horsepower @ RPM		115 @ 3400			
SAE net torque (lbft.) @ RPM		215 @ 1600			


(B) Produced by GM-Chevrolet Motor Division at the Flint, Michigan Engine Plant. *10 Series 125 Net H.P. @ 4000 RPM, 205 Net Torque @ 2000 RPM.

(B) Produced by GM de Mexico Engine Plant.

(C) Produced by GM-Chevrolet Motor Division at the Flint, Michigan, Tona-wanda, New York, and GM of Canada Engine Plants.

Wide Range of Standard Equipment Included with the Chevy C10 diesel pickup are:


- 1. 5.7 Liter V8 diesel engine
- Power brakes Thermostatic fan drive
- 4. Engine oil cooler
- 5. Engine block heater
- 6. 63-amp alternator 7. Dual 4350-watt Delco Freedom batteries
- 8. Special insulation package
- 9. Power steering
- 10. Automatic transmission
- 11. Glow plug and start lights on instrument panel
- 12. Dual exhaust system














5.7 LITER V8 (350 CUBIC INCH) New single-inlet, dual-outlet mufflers help decrease exhaust back pressure compared to last year.



6.6 LITER V8 (400 CUBIC INCH) Also has new single-inlet, dual-outlet mufflers. For heavy loading or towing.



7.4 LITER V8 (454 CUBIC INCH) Extra displacement for extraheavy-duty jobs.



5.7 LITER V8 DIESEL Built for the long haul with 3-inch-diameter main bearings. Available only in the C10 diesel pickup.

	N. 12 2.11	Nes Assileble	LEO(D)
LS9(C)	Not Available	Not Available	
4.0 x 3.5			4.06 x 3.38
8.2 to 1			22.5 to 1
175 @ 4000*			125 @ 3600
275 @ 2400*			225 @ 1600
LS9(C)	Not Available	Not Available	LF9(D)
4.0 x 3.5	11017110110370		4.06 x 3.38
8.2 to 1			22.5 to 1
170 @ 4000			125 @ 3600
275 @ 2000			125 @ 3600 225 @ 1600 LF9(D) 4.06 x 3.38 22.5 to 1 125 @ 3600 225 @ 1600
LT9(C)	LE4(B)	LE8(E)	Not Available
4.0 x 3.5	4.1 x 3.8	4.3 x 4.0	
8.3 to 1	8.3 to 1	7.9 to 1	
165 @ 3800	180 @ 3600	210 @ 3800	
255 @ 2800	310 @ 2400	340 @ 2800	

255 @ 2800 (C) Produced by GM-Chevrolet Motor Division at the Flint, Michigan, Tonawanda, New York, and GM of Canada Engine Plants.

*K10-20 Pickup, C10-20 Chassis-Cab 170 Net H.P. @ 4000 RPM, 270 Net Torque @ 2400 RPM.

(B) Produced by GM-Chevrolet Motor Division at the Flint, Michigan Engine Plant.

340 @ 2800 (E) Produced by GM-Chevrolet Motor Division at the Tonawanda, New York Engine Plant.

(D) Produced by GM-Oldsmobile Motor Division at the Lansing, Mich-igan Engine Plant.

FOUR TRIM PACKAGES

COMFORT. LOOKS. INSIDE AND OUT.

1. Standard Custom Deluxe Trim
Includes all these standard comfort and appearance items (Crew Cab interior shown): ○ Full-width, foam-padded front bench seat ○ Embossed vinyl upholstery in four color choices with new grained vinyl facings ○ Single retractor lap and shoulder belt system ○ Large padded armrests ○ Padded sunshades ○ Cab interior light

○ Prismatic inside rearview mirror ○ Foampadded instrument panel pad with nameplate. Exterior items include: ○ Bright rearview mirrors ○ White painted front bumper and wheels with bright hubcaps.

2. Available Scottsdale Trim

For regular cabs, includes items in Custom Deluxe Package plus these major additions or substitutions: O Full-foam front seat cushion and fold-forward seat back with inside cab storage area O Choice of either Custom cloth or Custom vinyl in five colors with new grained vinyl facings O New, available striped vinyl upholstery with new grained vinyl facings O Single-or available Two-Tone interior color schemes O Color-keyed floor mat O Chromed front bumper O Spear-type moldings on Fleetside O Bright windshield/rear window trim. (Bonus/Crew Cab interiors vary slightly.)

3. Available Cheyenne Trim

All Scottsdale items plus these major additions or substitutions: ○ Silver diamond-patterned instrument cluster frame and matching insert on instrument panel pad ○ Bright door trim panel inserts ○ Door storage pockets ○ Color-keyed carpeting ○ Perforated, color-keyed headliner ○ Custom steering wheel ○ Extrathick floor insulation ○ Headliner insulation ○ Bright tailgate insert, upper body side and tailgate moldings on Fleetside ○ Hood and cab-to-fender insulators. The interior shown here has the available high-back Custom vinyl bucket seats (bench seats standard). These come in a choice of new Custom vinyl and new grained vinyl facings in two colors.

4. Available Silverado Trim, Chevy's Finest
All items in Cheyenne package for regular
cabs and all items in Scottsdale package
for Crew and Bonus Cabs, plus these major
additions and substitutions: ○ Chromed
grille with rectangular headlights ○ Bright
brush-finished instrument cluster frame and
matching insert on instrument panel pad
○ Needle-type; full-gage instrumentation
○ Full door trim panels with bright trim
○ Color-keyed carpeting on lower door
panels ○ Bright upper/lower body side
moldings, wheel opening moldings and full
tailgate insert on Fleetside ○ Visor mirror.





AVAILABLE OPTIONS:

Shown and listed here are some of the popular available options. They are arranged so that you can check off your choices. Your Chevy salesperson has additional information or a complete list of the more specialized options available.

Popular available options not shown:

☐ Delco AM/FM stereo (except Bonus/Crew Cabs)

☐ Delco AM/FM stereo with 8-track player (except Bonus/Crew Cabs) ☐ Delco AM radio ☐ Delco AM/FM stereo with cassette tape player (except Bonus/Crew

Cabs)

☐ Automatic transmission ☐ Soft-Ray tinted glass



☐ AM/FM monaural CB radio



9" x 6.5" Below Eyeline



Camper Special Packages



☐ Glide-out spare tire carrier

☐ Front bumper guards☐ Tow hooks

Available for Series 20 and 30 models equipped with available V8 engine and automatic or 4-speed manual transmission. Designed for long, tough use with slide-in camper bodies.

Basic package for most models includes heavy-duty shock absorbers, front stabilizer bar (C models), and camper body wiring harness. Deluxe Camper Special Package for Fleetside pickups adds camper body tie-downs and cab-to-pickup-box shock absorbers.




☐ Styled wheels



Rally wheels



■ Wheel covers



Cast aluminum wheels (C and K10 models)

A word about components, optional equipment, assembly and availability of these Chevrolets.

These Chevys incorporate thousands of different components produced by various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process it may be necessary in order to meet public demand for particular vehicles or equipment or to meet federally mandated

emissions, safety and fuel economy requirements, or for other reasons, to produce these products with different components or differently sourced components than initially scheduled. All such components have been

approved for use in these products.

With respect to factoryinstalled extra cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your

- ☐ Power brakes and heavy-
- duty power brakes

 Power steering for 2WD models (standard on 4WD)
- ☐ Front stabilizer bar (standard on 4WD models)
- ☐ Auxiliary fuel tanks
- Heavy-duty Delco Freedom battery
- ☐ Folding seat back (Custom Deluxe only)
- ☐ Auxiliary Ďelco Freedom battery
- ☐ Cargo lamp

- ☐ Voltmeter, temperature and oil pressure gages
 - ☐ Tachometer
- ☐ Visor-mounted mirror (included in Silverado trim)
- Stainless steel camper mirrors
- ☐ Painted West Coast type mirrors (C and K30 models)
- ☐ Intermittent windshield wiper system
- ☐ Pickup box side rails



Trailering Packages

The Trailering Special Package includes power steering (standard on 4WD models), battery and generator. Requires a V8 gasoline engine-axle ratio combination suitable for the weight of the trailer to be towed (trailer hitch not included). Other required equipment includes available 4-speed or automatic transmission. Ask your Chevy salesperson for the 1980 RV/Trailering Guide which lists the Chevrolet required and/or recommended optional equipment to meet your trailering needs.



Power door locks (2-door models)



☐ Comfortilt steering wheel



Power windows (2-door

models)

 All Weather air conditioning




☐ Fuel tank stone shield (K models Regular Cab only)



☐ Sliding rear window



Automatic speed control (V8 engines with automatic transmission)



□ Exterior Decor Package

dealer. Some options may be unavailable when your vehicle is built. Your dealer receives advice regarding current availability of options. You may ask your dealer for this information. GM also requests the dealer

to advise you if an option you ordered is unavailable. We suggest you verify that your vehicle includes the optional equipment you ordered or, if there are any changes, that they are acceptable to you.

The Chevy Pickups described in this catalog (Series C10, C20 and C30; K10, K20 and K30) are assembled at facilities of General Motors Corporation operated by Chevrolet Motor Division, GM Assembly

Division and GM of Canada. These vehicles are also available from GMC dealers under the GMC nameplate (GMC Pickup Series C1500, C2500 and C3500; K1500, K2500 and K3500).

SPECIFICATIONS.

CEDIFO		TWO-WHEEL DRIVE						L + "	FOUR-WHEEL DRIVE				
SERIES		C10	C10/ BIG-10	C10 DIESEL	C20	C20 HD(CP6)	C20	C30	C30	K10	K20	K20 HD(CP6)	K30
CAB TYPE		CONV.	CONV.	CONV.	CONV.	CONV.	BONUS/ CREW	CONV.	BONUS/ CREW	CONV.	CONV.	CONV.	CONV. BONUS/ CREW
GVW RANGE (LB.)		4,900 TO 5,600	6,050 TO 6,200	5,300 TO 6,200	6,400 TO 7,500	8,600	8,600	9,000 TO 10,000	9,000 TO 10,000	6,200	6,800	8,600	9,200 TO 10,000
ENGINE-LITER (C		4.1(250)L6		5.7 V8	4.1(250)L6	4.8(292)L6	4.8(292)L6	4.8(292)L6	4.8(292)L6	4.1(250)L6	5.7(350)V8	4.8(292)L6	
	AVAIL.	5.0(305)V8 ⁴	5.7(350)V8	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	5.7(350)V8	5.7(350)V8	5.7(350)V8	5.7(350)V8	5.7(350)V8	5.7(350)V8	_		5.7(350)V8
		5.7(350)V8	_	-	A	7.4(454)V8	7.4(454)V8	7.4(454)V8	7.4(454)V8				6.6(400)V8
FRONT SUSPENSION	TYPE/SPRINGS		DENT COIL	SPRINGS	INDEPEN	DENT COIL	SPRINGS	INDEPE COIL S	NDENT PRINGS			VING AXLE- SPRING	
	CAPACITY (LB.)	3,100	3,400	3,400	3,800	3,800	3,800	3,800	4,000	3.600	3,800	3.800	4,500
	NG CAPACITY (LB.)	1,475	1,625	1,700	1,750	1,900	1,900	1,900	2,000	1,850	1,850	1,850	2,250
AVAIL. SPRI	NG CAPACITY (LB.)	1,550	-		1,900	_		_	_	2,250	2,250	2,250	
		1,625	- C. S. T.	-	_ >	- 1		-		_	_		47 -
REAR	AXLE TYPE			FU	LL FLOATII	LOATING FULL FL		OATING	ATING SEMI-FL.		FULL FLOATING		
SUSPENSION AX	(LE CAPACITY (LB.)	3,750	3,750	3,750	6,000	6,000	7,500	7,500	7,500	3,750	6.000	6,000	7,500
	AVAIL. RATIOS	2.56	2.73	2.73	3.21	3.21	3.21	3.21	3.21	2.76	3.21	3.73	4.10
		2.73	3.08	3.08	3.42	3.42	3.73	3.73	3.73	3.08	3.42	4.10	4.56
		3.08	_	3.42	3.73	3.73	4.10	4.10	4.10	3.42	130-10	4.56	1
		3.42				4.10	4.56	4.56	4.56	3.73	-	_	-
			_	_	_	4.56	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	A Land	- 4	_	_	-	
	SPRINGS TYPE		TAGE MULT			TAGE MULT	I-LEAF	TWO ST. M	ULTI-LEAF		TWO STAGE MULTI-LEAF		F
	CAPACITY (LB.) EA.	1,550	2,000	1,550	2,000	3,000	3,000	3,500	3,500	1,875	2,100	3,000	3,500
AVAIL. SPRING CAPACITY (LB.) EA.		2,000	_	2,000	2,600	_	_	3,750	3,750	_	_	_	3,750
			_	_	3,000	_	_	_	:	_	7 -	-	-
BRAKES	DISC/DRUM	MANUAL	POWER	POWER		POWER		POV	WER		PO	POWER	
ELECTRICAL	BATTERY (WATTS)	2,5	000	(2) 4,350		3,200		3,200	3,200	2,500	3,200	3,200	3,200
	GENERATOR (AMP)	3	7	63		37		37	37	37	37	37	37
FUEL TANK (GAL.)	STD.	†16/20	†16/20	†16/20		20		2	0	†16/20	20	20	20
NOM. CAPACITY	AVAIL. (AUX.)	†16/20	†16/20	†16/20		20		2	0	†16/20	20	20	20
STEERING	STD.	MAN	MANUAL POWER		MANUAL		MANUAL		POWER	POWER	POWER	POWER	
	AVAIL.	POV	VER	_		POWER		POWER		_	_	_	
TRANSMISSION	STD.	3-SPD.	3-SPD.	AUTO- MATIC	3-SPD.	3-SPD.	4-SPD.	4-SPD.	4-SPD.	3-SPD.	3-SPD.	3-SPD.	4-SPD.
	AVAIL.	4-SPD.	4-SPD.	_	4-SPD.	4-SPD.	AUTOMATIC	AUTO	MATIC	4-SPD.	4-SPD.		AUTOMATIO
		AUTO- MATIC	AUTO- MATIC	1 - 1 · ·	AUTO- MATIC	AUTO- MATIC				AUTO- MATIC	AUTO- MATIC	AUTO- MATIC	_
TRANSFER CASE MAN. TRANS		_	_	-	_	-	_	-	_	CONVENTIONAL NP 205			
Part-time w/ Manual Locking H	AUTO. TRANS.		_		11 1/2 1	_	- V	-	-	CONVENTIONAL NP 205		05	
TIRE SIZE	STD.	GR78-15B	P235/	GR78-15B	8.75R-16.5C	9.50-16.5	9.50-16.5D	9.50-16.5D	9.50-16.5E	P235/	8.75R-16.5C	9.50-16.5D	9.50-16.5D
	SID.									75R-15 (F)D; (R)E			
TIRE SIZE TUBELESS	310.		75R-15		May Ala	(F)D;(R)E	(F)D E TUBELESS	; (R) E				(F)D;(R)E	

†16-GALLON TANK ON 117.5" WB MODELS. ANOT AVAILABLE IN CALIFORNIA.
TIRE LOAD RANGE—B (4PR), C (6PR), D (8PR), E (10PR). IN CALIFORNIA, SEE YOUR CHEVY DEALER FOR ENGINE AVAILABILITY.





The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models. Check with your Chevrolet dealer for complete information. Chevrolet Motor Division of General Motors Corporation, Detroit, Michigan 48202.